

MATIČNA PLOČA AM4 AS ROCK B450 PRO 4 R2.0

Naziv: MATIČNA PLOČA AM4 AS ROCK B450 PRO 4 R2.0

Slika:



Šifra: #BM95611801733803427841

Barkod: 4710483932786

Proizvođač: AS ROCK

Detalji

Kategorija: MATIČNE PLOČE

Oznake: NOVO

Atributi: PODRŽANA MEMORIJA: DDR4
CHIPSET: B450
PROCESORSKO LEŽISTE: AM4
M.2: DA**Cena**Cena sa PDV: 12,490.00 RSD *WEB CENA
13,739.00 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:

Tip procesora:	AMD
Podnožje:	AMD® AM4
Čipset:	AMD® B450
Format ploče:	ATX
Podržana memorija:	DDR4
Podržani procesori:	- Podržava AMD AM4 Socket Ryzen 2000, 3000 i 5000 Series desktop procesora - Digi Power design - 10 Power Phase design
	- Dual Channel DDR4 memorijsku tehnologiju - 4 x DDR4 DIMM slota - AMD Ryzen series CPUs (Matisse) podržava DDR4 3200 / 2933 / 2667 / 2400 / 2133 ECC & non-ECC, unbuffered memoriju - AMD Ryzen series CPUs (Pinnacle Ridge) podržava DDR4

Memorija:	3200+(OC) / 2933(OC) / 2667 / 2400 / 2133 ECC & non-ECC, un-buffered memoriju - AMD Ryzen series CPUs (Picasso) podržava DDR4 2933 / 2667 / 2400 / 2133 non-ECC, un-buffered memoriju - AMD Ryzen series CPUs (Summit Ridge) podržava DDR4 3200+(OC) / 2933(OC) / 2667 / 2400 / 2133 ECC & non-ECC, un-buffered memoriju - AMD Ryzen series CPUs (Raven Ridge) podržava DDR4 3200+(OC) / 2933 / 2667 / 2400 / 2133 non-ECC, un-buffered memoriju
Integrirana grafička karta:	- Integrirani AMD Radeon Vega Series Graphics u Ryzen Series APU - DirectX 12, Pixel Shader 5.0 - Deljena memorija po default-u 2GB. Maksimalna deljena memorija do 16GB - Tri grafička izlaza: D-Sub, HDMI i DisplayPort 1.2 - Podržava tri monitora - Podržava HDMI 1.4 sa maksimalnom rezolucijom do 4K x 2K (4096x2160) @24Hz / (3840x2160) @30Hz - Podržava DisplayPort 1.2 sa maksimalnom rezolucijom do 4K x 2K (4096x2160) @60Hz - Podržava D-Sub sa maksimalnom rezolucijom do 1920x1200 @60Hz - Podržava Auto Lip Sync, Deep Color (12bpc), xvYCC i HBR (High Bit Rate Audio) sa HDMI 1.4 Port (Compliant HDMI monitor is required) - Podržava HDCP 1.4 sa HDMI 1.4 i DisplayPort 1.2 Ports - Podržava 4K Ultra HD (UHD) playback sa HDMI 1.4 i DisplayPort 1.2 Ports
Slotovi za proširenje:	AMD Ryzen series CPUs (Matisse, Summit Ridge and Pinnacle Ridge): - 2 x PCI Express 3.0 x16 slota (PCIe2: x16 mode; PCIe4: x4 mode) AMD Ryzen series CPUs (Picasso, Raven Ridge): - 2 x PCI Express 3.0 x16 slota (PCIe2: x8 mode; PCIe4: x4 mode) AMD Athlon series CPUs: - 2 x PCI Express 3.0 x16 slota (PCIe2: x4 mode; PCIe4: x2 mode) - 4 x PCI Express 2.0 x1 slota - Podržava AMD Quad CrossFireX i CrossFireX
Skladište:	- 4 x SATA3 6.0 Gb/s konektora, podržava RAID (RAID 0, RAID 1 i RAID 10), NCQ, AHCI i Hot Plug - 2 x SATA3 6.0 Gb/s konektora putem ASMedia ASM1061, podržava NCQ, AHCI i Hot Plug - 1 x Ultra M.2 Socket (M2_1), podržava M Key type 2242/2260/2280 M.2 PCI Express module do Gen3 x4 (32 Gb/s) (sa Matisse, Picasso, Summit Ridge, Raven Ridge i Pinnacle Ridge) or Gen3 x2 (16 Gb/s) (sa Athlon series APU) - 1 x M.2 Socket (M2_2), podržava M Key type 2230/2242/2260/2280/22110 M.2 SATA3 6.0 Gb/s module i M.2 PCI Express module do Gen3 x2 (16 Gb/s)
Mrežna karta:	- PCIe x1 Gigabit LAN 10/100/1000 Mb/s - Realtek RTL8111H - Podržava Wake-On-LAN - Podržava Lightning/ESD zaštitu - Podržava Energy Efficient Ethernet 802.3az - Podržava PXE
Zvučna karta:	- 7.1 CH HD Audio with Content Protection (Realtek ALC892/897 Audio

	Codec) - Podrška Surge zaštitu
USB:	- 2 x USB 2.0 Headers (podrška 4 USB 2.0 porta) (podrška ESD zaštitu) - 1 x USB 3.2 Gen1 Header (podrška 2 USB 3.2 Gen1 porta) (podrška ESD zaštitu) - 2 x USB 2.0 Ports (podrška ESD zaštitu) - 1 x USB 3.2 Gen2 Type-A Port (10 Gb/s) (podrška ESD zaštitu) - 1 x USB 3.2 Gen2 Type-C Port (10 Gb/s) (podrška ESD zaštitu) - 4 x USB 3.2 Gen1 porta (podrška ESD zaštitu)
Konektori na zadnjoj strani:	- 1 x PS/2 Mouse/Keyboard Port - 1 x D-Sub Port - 1 x HDMI Port - 1 x DisplayPort 1.2 - 2 x USB 2.0 Ports (podrška ESD zaštitu) - 1 x USB 3.2 Gen2 Type-A Port (10 Gb/s) (podrška ESD zaštitu) - 1 x USB 3.2 Gen2 Type-C Port (10 Gb/s) (podrška ESD zaštitu) - 4 x USB 3.2 Gen1 porta (podrška ESD zaštitu) - 1 x RJ-45 LAN Port with LED (ACT/LINK LED and SPEED LED) - HD Audio Jacks: Line in / Front Speaker / Microphone
Interni konektori:	- 1 x COM Port Header - 1 x TPM Header - 1 x Power LED and Speaker Header - 1 x RGB LED Header - 1 x Addressable LED Header - 1 x AMD Fan LED Header - 1 x CPU Fan Connector (4-pin) - 1 x CPU/Water Pump Fan Connector (4-pin) (Smart Fan Speed Control) - 3 x Chassis/Water Pump Fan Connectors (4-pin) (Smart Fan Speed Control) - 1 x 24 pin ATX konektor za napajanje - 1 x 8 pin 12V konektor za napajanje - 1 x Front Panel Audio Connector - 2 x USB 2.0 Headers (podrška 4 USB 2.0 porta) (podrška ESD zaštitu) - 1 x USB 3.2 Gen1 Header (podrška 2 USB 3.2 Gen1 porta) (podrška ESD zaštitu)
BIOS:	- 128Mb AMI UEFI Legal BIOS sa multilingual GUI podrškom - Podrška Plug and Play - ACPI 5.1 compliance wake up events - Podrška jumperfree - SMBIOS 2.3 podrška - DRAM Voltage multi-adjustment
Prava potrošača:	Zakonska saobraznost 2 godine
EAN:	4710483932786