

Tel: 060/386-09-09

PC BOOM

E-mail: office@pcboomboom.rs

## SSD SAMSUNG 2TB 870 QVO MZ-77Q2T0BW

Naziv: SSD SAMSUNG 2TB 870 QVO MZ-77Q2T0BW

Slika:

Mario 28 mario

Šifra: #BM366041737173092362

Barkod: 8806090396007

Proizvođač: SAMSUNG

Detalji

Kategorija: SSD

Oznake:

Atributi: FORMAT: 2,5"

KAPACITET DISKA: 2TB

Cena

Cena sa PDV: 32,996.00 RSD \*WEB CENA

36,295.60 RSD \*Cena za odloženo web plaćanje

### Ostalo

Opis:

- ApplicationClient PCs
- Capacity2,000 GB (1 GB=1 Billion byte by IDEMA) \* Actual usable capacity may be less (due to formatting, partitioning, operating system, applications or otherwise)
- Form Factor2.5 inch
- InterfaceSATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & SATA 1.5 Gb/s interface
- Dimension (WxHxD)100 X 69.85 X 6.8 (mm)
- WeightApporx. 46.0g Weight
- Storage MemorySamsung V-NAND 4bit MLC
- ControllerSamsung MKX Controller
- Cache MemorySamsung 2 GB Low Power DDR4 SDRAM

## **Special Feature**

- TRIM SupportTRIM Supported
- S.M.A.R.T SupportS.M.A.R.T Supported

- GC (Garbage Collection) Auto Garbage Collection Algorithm
- Encryption SupportAES 256-bit Encryption (Class 0),TCG/Opal, IEEE1667 (Encrypted drive)
- WWN SupportWorld Wide Name supported
- Device Sleep Mode SupportYes

#### **Performance**

- Sequential ReadUp to 560 MB/s Sequential Read
   \* Performance may vary based on system hardware & configuration
- Sequential WriteUp to 530 MB/s Sequential Write \* Performance may vary based on system hardware & configuration \*\* Measured with Intelligent TurboWrite technology being activated
- Random Read (4KB, QD32)Up to 98,000 IOPS Random Read \* Performance may vary based on system hardware & configuration \*\* Measured with Intelligent TurboWrite technology being activated
- Random Write (4KB, QD32)Up to 88,000 IOPS
  Random Write \* Performance may vary based on
  system hardware & configuration \*\* Measured
  with Intelligent TurboWrite technology being
  activated
- Random Read (4KB, QD1)Up to 11,000 IOPS
   Random Read \* Performance may vary based on
   system hardware & configuration \*\* Measured
   with Intelligent TurboWrite technology being
   activated
- Random Write (4KB, QD1)Up to 35,000 IOPS
   Random Write \* Performance may vary based on
   system hardware & configuration \*\* Measured
   with Intelligent TurboWrite technology being
   activated

# **Environment**

- Average Power Consumption (system level)Average: 3.0 W \*Maximum: 5.0 W (Burst mode)\* Actual power consumption may vary depending on system hardware & configuration
- Power consumption (Idle)Max. 30 mW \* Actual power consumption may vary depending on system hardware & configuration
- **Allowable Voltage**5V ± 5% Allowable voltage
- Reliability (MTBF)1.5 Million Hours Reliability (MTBF)
- Operating Temperature0 70 °C Operating Temperature
- **Shock**1,500 G & 0.5 ms (Half sine)

### **Accessories**

• Installation KitNot Available

### Software

Management SWMagician Software for SSD management