

LAN ROUTER TP-LINK TL-MR6400 3G/4G LTE

Naziv: LAN ROUTER TP-LINK TL-MR6400 3G/4G LTE

Slika:



Šifra: #BM4366901741838673561

Barkod: 6935364086848

Proizvođač: TP-LINK

Detalji

Kategorija: RUTERI

Oznake: [Proveri dostupnost](#)

Atributi:

TIP UREĐAJA: WIFI ROUTER
TIP ANTENE: EXTERNA
MESTO PRIMENE: INDOOR
POE: NE
BROJ PORTOVA: 3
4G/SIM SLOT: DA
USB PORT: NE
BRZINA PROTOKA: < 300 MBPS
MESH: NE
FREKVENTNI OPSEG: 2.4 GHZ
REPEATER MODE: DA

Cena

Cena sa PDV: 12,238.00 RSD *WEB CENA
13,461.80 RSD *Cena za odloženo web plaćanje

Ostalo

Opis:

HARDWARE FEATURES**Ports**

3× 10/100 Mbps LAN ports, 1×
10/100 Mbps LAN/WAN Port, 1×
Nano SIM Card Slot

Button

WPS/RESET Button, WiFi ON/OFF
Button

**External Power
Supply(EU)**

9V/0.85A

Dimensions (W x D x H)

6.85 × 4.9 × 1.32 in. (174 ×
124.5 × 33.5 mm)

Antenna Type

2× Detachable External 4G LTE
Antennas

WIRELESS FEATURES	
Wireless Standards	IEEE 802.11b, 802.11g, 802.11n
Frequency	2.4 GHz
Signal Rate	300 Mbps at 2.4 GHz
Reception Sensitivity	11g 54M: -74 dBm 11n HT20: -71 dBm 11n HT40: -67 dBm
Transmit Power	<20 dBm (2.4 GHz)
Wireless Functions	Enable/Disable Wireless Radio, Wireless Schedule, WMM, Wireless Statistics
WAN Failover	Yes
Wireless Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions
Network Type	4G: FDD-LTE Cat4 (800/900/1800/2100/2600 MHz), TDD-LTE (2300/2500/2600 MHz) 3G: DC-HSPA+/HSPA+/HSPA/UMTS (900/2100 MHz)
SOFTWARE FEATURES	
Quality of Service	WMM, QoS
Operating Modes	3G/4G Router, Wireless Router
Management	Access Control, Local Management, Remote Management
WAN Connection Type	Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)
DHCP	Server, Client, DHCP Client List, Address Reservation
Port Forwarding	Virtual Server, Port Triggering, UPnP, DMZ
Dynamic DNS	TP-Link DDNS, DynDns, NO-IP
VPN Pass-Through	PPTP, L2TP, IPSec
Access Control	Parental Controls, Local Management Control, Host List, Access Control
Firewall Security	DoS, SPI Firewall, IP and MAC Address Binding
Protocols	Supports IPv4 and IPv6
Guest Network	2.4 GHz Guest Network
VPN Server	PPTP VPN, OpenVPN
OTHERS	

	Certification	CE, RoHS
	Package Contents	300Mbps Wireless N 4G LTE Router TL-MR6400 Power Adapter RJ45 Ethernet Cable Quick Installation Guide
	System Requirements	Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1, MAC OS, NetWare, UNIX or Linux Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 browser or higher, or other Java-enabled browsers Nano SIM Card
	Environment	Operating Temperature: 0°C~40°C (32°F ~104°F) Storage Temperature: -40°C~60°C (-40°F ~140°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing