

MATIČNA PLOČA AM5 GIGABYTE B850M GAMINGX WIFI 6 DDR5 DP/HDMI/M.2

Naziv: MATIČNA PLOČA AM5 GIGABYTE B850M GAMINGX WIFI 6 DDR5 DP/HDMI/M.2

Slika:



Šifra: #BM811801743649327227

Barkod: 4719331866433

Proizvođač: GIGABYTE

Detalji

Kategorija: MATIČNE PLOČE

Oznake: NOVO

Atributi:

CenaCena sa PDV: 27,990.00 RSD *WEB CENA
30,789.00 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:	Procesorsko ležište (socket)	AMD AM5
	Čipset	AMD B850
	Tip memorije	DDR5
	Memorijski slotovi	4
	Podržane memorije	6.000MT/s (O.C.), 7.200MT/s (O.C.), 7.000MT/s (O.C.), 6.800MT/s (O.C.), 6.600MT/s (O.C.), 6.400MT/s (O.C.), 6.200MT/s (O.C.), 5.200MT/s, 4.800MT/s, 7.600MT/s (O.C.), 5.600MT/s (O.C.), 8.000MT/S (O.C.), 7.800MT/s (O.C.), 8.200MT/s (O.C.), 5.800MT/s (O.C.), 4.400MT/s, 7.400MT/s (O.C.), 7.950MT/s (O.C), 7.900MT/s (O.C)
	Maksimalna ukupna memorija	256GB

Ostale osobine	Podrška za Unbuffered ECC memoriju, Podrška za Extreme Memory Profile (XMP), Dvokanalni (Dual-channel) režim rada memorije, Podrška za non-ECC UDIMM memory, Podrška za AMD EXTENDED Profiles for Overclocking (EXPO)
PCI Express x16 slot	1x PCI Express 5.0 (x16 mode), 1x PCI Express 3.0 (x4 mode)
SATA priključci (ukupno)	4
SATA priključci	SATA III 6Gbps
Broj M.2 slotova	2
Podržani M.2 formati	1x 2280 / 2580 / 22110 / 25110 (podrška za PCIe 5.0 x4/x2 mod), 1x 2280 / 2580 / 22110 / 25110 (podrška za PCIe 4.0 x4/x2 mod)
RAID	RAID 0, RAID 1, RAID 10
Žična mreža (LAN)	2.5GBase-T (Gigabit)
Model	Realtek
Wi-Fi	Da
Wi-Fi standard	Wi-Fi 6E (802.11ax)
Bluetooth	Da
Bluetooth verzija	5.3
Broj kanala	8 (7.1)
Model	Realtek
Napomena	High Definition
Broj DisplayPort priključaka	2
DisplayPort priključci	2x DisplayPort 1.4
Broj HDMI priključaka	1
HDMI priključci	1x HDMI 2.1
PS/2	1 (tastatura ili miš)
Ukupno USB priključaka	8
Ukupno USB-C priključaka	1
USB-A priključci	4x USB 2.0, 2x USB 5Gbps (3.2 Gen 1), 1x USB 10Gbps (3.2 Gen 2)
USB-C priključci	1x USB 10Gbps (3.2 Gen 2)

priključci	2x USB 2.0 ports (1x USB 2.0, 1x USB 3.0), 1x USB 3.0 port
RJ-45 (LAN)	1
Audio	3x 3.5mm
Ostali priključci	1 x Q-Flash Plus button, 2x SMA antenna connectors (2T2R)
Naponski priključci	1x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector
USB-A	2 x podrška za 1 USB 2.0 port, 1 x podrška za 1 USB 5Gbps port
USB-C	1 x podrška za 1 USB 10Gbps port
Audio	1x Front panel audio, 1x Front panel header
Ostali priključci	1 x Clear CMOS jumper, 1 x Trusted Platform Module (TPM), 4 x SATA 6Gb/s, 1 x RGB LED strip header, 1 x CPU fan header, 1x CPU fan/water cooling pump header, 1 x reset jumper, 1x System Fan header, 2 x M.2 Socket 3, 3x addressable RGB Gen2 LED strip headers, 1 x reset button, 1 x system fan/water cooling pump headers
Podržane tehnologije	Q-Flash Plus, Smart Backup, UEFI Bios
Format	microATX
Dimenzije	244mm x 244mm
Prava potrošača:	36 meseci
EAN:	4719331866433