

MFP INKJET CISS BROTHER DCP-T435 A4 1200X6000DPI/128MB/WIFI/USB/BTD100Naziv: MFP INKJET CISS BROTHER DCP-T435 A4
1200X6000DPI/128MB/WIFI/USB/BTD100

Slika:



Šifra: #BM4812001777518444963

Barkod: 4977766837606

Proizvođač: BROTHER

Detalji

Kategorija: INKJET

Oznake:

Atributi:

CenaCena sa PDV: 25,190.00 RSD *WEB CENA
27,709.00 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:

Opšte

Vrsta štampača	Kolor
Funkcija	Štampanje, Skeniranje , Kopiranje
Tehnologija	Inkjet
Maksimalna veličina papira	A4
Povezivost	USB, Bežično
Memorija	Interni (128 MB)
Kontrolna tabla	Tasteri
Displej	Da (LED)

Štampa

Brzina jednostrane štampe A4 Mono	16 (slike u minuti)
Vreme izlaza prvog štampanja	Mono (6.2 sekundi), Boja (9.6 sekundi)

Mobilna štampa	Da
Rezolucija	Do 1.200 x 6000dpi
Tihi režim	Da
Radni ciklus	Do 1000 stranica

Drajveri štampača

Drajveri štampača	ChromeOS (Podržava matično štampanje sa ChromeOS-a), macOS (Preporučujemo korišćenje AirPrint od 11,0,x), Windows (11), Posetite support.brother.com za kompletnu listu podržanih OS i da preuzmete najnovije drajvere i softver
-------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Dodavanje papira

Ulaz papira	Slot za ručno uvlačenje (1 list), Standardno (kaseta 1) (150 listova)
Izlaz papira	A4 (50 listova)
Veličine medija	Standardno (kaseta 1) (A4, LTR, EXE, A5, A6, Fotografija (10 x 15 cm), Indeksna karta (13 x 20 cm), Fotografija-2L (13 x 18cm), C5 koverta, DL Koverta, Monarch, LGL, Folio, Mexico Legal, India Legal), Staklo skenera (Dužina: do 297,0 mm, Širina: do 215,9 mm), Manual Feed Slot (10 x 15cm, A4, A5, Folio, India Legal, Legal, LTR, Mexico Legal)
Vrste i težine medija	Slot za ručno uvlačenje (Običan, Reciklirano, Inkjet, Sjajni, 64 - 300g/m2), Standard (kaseta 1) (Sjajni, Inkjet, 64 - 220g/m2, Običan, Reciklirano)

Kopiranje

Brzina jednostranog kopiranja A4 u boji	3.5 (slike u minuti)
Brzina jednostranog kopiranja A4 Mono	11 (slike u minuti)
Rezolucija kopiranja	Do 1.200 x 1800 dpi
FCOT iz režima spremnosti (sekunde)	Mono (13,0 sekundi), Boja (28.5 sekundi)
Funkcije kopiranja	N u 1 kopiranje, 2 u 1 kopiranje ličnih dokumenata

Skeniranje

Vrsta skenera	CIS (Contact Image Sensor)
Rezolucija	Interpolirana (Do 19200 x 19200), Kolor (1.200 x 2.400dpi)
Dubina boje	Input (30 bit Colour Processing), Output (24 bit Colour Processing)

Mreža

Podrška za bežično podešavanje	Ne
--------------------------------	----

Funkcije skeniranja

Standardne funkcije	Skenira na (Fajl, Slika, E-mail)
Podrška za format fajla	PDF, TIFF, JPEG

Drajveri skenera

Drajveri skenera	Windows (Windows 11), Macintosh (AirPrint skeniranje), ChromeOS (Supports native ChromeOS scanning), Posetite support.brother.com za kompletnu listu podržanih OS i da preuzmete najnovije drajvere i softver
------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Alati za upravljanje flotom

Alati za upravljanje flotom	LAN/WAN softver za upravljanje (BRAdmin Professional), Ugrađeni Web Server, Status Monitor
-----------------------------	--------------------------------------------------------------------------------------------

Softver

Softver isporučen	Windows Software (Brother iPrint&Scan Desktop), Macintosh Software (Brother iPrint&Scan Desktop), Utilities, Easy Setup
-------------------	--------------------------------------------------------------------------------------------------------------------------

Potrošni materijal i dodatna oprema

Kertridži	BK (BTD100BK - 7500 stranica), C, M, Y (BTD100CMY - 5000 stranica)
-----------	--------------------------------------------------------------------

Sadržaj kutije

Sadržaj kutije	Kabl za napajanje, Vodič za brzo podešavanje, Garancija, Uređaj, Pribor
----------------	-------------------------------------------------------------------------

Dimenzije i težine

Dimenzije sa kartonom	461 mm (Š) x 208 mm (D) x 461 mm (V)
Težina sa kartonom	7.3 kg
Dimenzije bez kartona	390 mm (Š) x 343 mm (D) x 149 mm (V)
Težina bez kartona	6.3 kg

Radni ciklus

Preporučena mesečna količina	Do 1000 stranica
------------------------------	------------------

Radno okruženje

Energetski zahtevi	AC (220-240V AC 50/60Hz)
Potrošnja energije	Copying (16.0W), Ready (2.5W), Sleep (0.6W), Power Off (0.15W)

(približno)	(0.0W), Power On (0.15W)
Zvučni pritisak	Štampanje (55.0dBA)
Operativna ograničenja	Vlažnost % (20 - 80%), Stepeni Celzijusa (10°C - 35°C), Stepeni Farenhajta (50°F - 95°F)
Ograničenja skladišta	Stepeni Celzijusa (0°C - 40°C), Stepeni Farenhajta (32°F - 104°F), Vlažnost % (20 - 80%)

Povezivanje

Lokalni interfejs	Hi-Speed USB 2,0
Interfejs bežične mreže	2,4GHz: IEEE 802,11b/g/n (InfrastructureMode), 5GHz: IEEE 802,11a/n (Infrastructure Mode)
Podrška za bežično postavljanje	Ne

Mobilna povezivanje

Mobilna i veb veza	Brother Mobile Connect (Android, iPad / iPhone), Apple AirPrint, Brother Print Service Plugin, Mopria®, Brother Apps, Android Print Service Plugin, Web Connect
--------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------

Sigurnosne funkcije

Karakteristike	Ažuriranja firmvera, Bezbedno upravljanje tasterima, Automatsko otkrivanje upada, Ograničite mrežne protokole, Digitalno potpisan firmver, Secure Boot, Firmware Encryption
Sigurnost bežične mreže	SSL/TLSWireless (IPPS, HTTPS), SSL/TLS, WEP 64/128 bit, WPA-PSK (TKIP/AES), SSID (32 chr)
Filter IP-a	Da
IPv4	ARP, RARP, BOOTP, DHCP, APIPA (AutoIP), WINS/NetBIOS name resolution, DNSResolver, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, TFTP server, ICMP, Web Services (Print), Web Services (Scan), SNTPCClient, mDNS, HTTP Server, IPP, SNMPv1/v2c
IPv6	NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port / Port9100, SNMPv1/v2c/v3, TFTP server, ICMPv6, Web Services (Print), Web Services(Scan), HTTP Server, IPP, SMTP Client