SAŠA BOŽOVIĆ PR USLUGE SISTEMA OBEZBEĐENJA PC BOOM BOOM BEDINA VAROŠ
32250 Ivanjica, 13. Septembar br.30
Tel: 060/386-09-09
E-mail: office@pcboomboom.rs

LAN RUTER MERCUSYS MW302R WIRELESS N 300MBPS

Naziv:	LAN RUTER MERCUSYS MW302R WIRELESS N 300MBPS
Slika:	
Šifra:	#BM896901787368013770
Barkod:	6957939005740
Proizvođač:	MERCUSYS

Detalji

Kategorija:	RUTERI
Oznake:	
Atributi:	TIP UREĐAJA: WIFI ROUTER TIP ANTENE: EXTERNA MESTO PRIMENE: INDOOR POE: NE BROJ PORTOVA: 3 4G/SIM SLOT: NE USB PORT: NE BRZINA PROTOKA: 300 MBPS - 750 MBPS MESH: NE FREKVENTNI OPSEG: 2.4 GHZ REPEATER MODE: DA

Cena

Cena sa PDV:	1,345.20 RSD *WEB CENA 1,479.72 RSD *Cena za odloženo web plaćanje

Ostalo

Opis:

Ethernet Ports	2*10/100Mbps LAN Ports & 1*10/100Mbps WAN Port
Button	Reset Button
External Power Supply	5V/0.6A
Dimensions (W X D X H)	114 mm × 94 mm × 26 mm
Antenna Type	2 * 5dBi

Package Contents	300Mbps Wireless N Router (MW302R) Power Adapter Quick Installation Guide Ethernet Cable
Wireless Standards	IEEE 802.11b/g/n
Frequency	2.4-2.4835GHz
Signal Rate	• 11n: Up to 300Mbps (Dynamic) • 11g: Up to 54Mbps (Dynamic) • 11b: Up to 11Mbps (Dynamic)
Reception Sensitivity	• 270M: -73dBm@10% PER • 130M: -75dBm@10% PER • 54M: -77dBm@10% PER • 11M: -90dBm@10% PER • 6 M: -94dBm@10% PER • 1 M: -96dBm@10% PER
Wireless Functions	Enable/Disable Wireless Radio, WDS Bridging
Wireless Security	WPA-PSK / WPA2-PSK
WAN Type	Dynamic IP/Static IP/PPPoE/PPTP/L2TP
DHCP	Server
Port Forwarding	Virtual Server, UPnP, DMZ
Management	Access Control, Local Management, Remote Management
Firewall Security	IP and MAC Address Binding
Guest Network	2.4GHz Guest Network
Protocols	IPv4, IPv6
Environment	• Operating Temperature: 0°C~40°C (32°F~104°F) • Storage Temperature: -40°C~70°C (-40°F~158°F) • Operating Humidity: 10%~90% Non-Condensing • Storage Humidity: 5%~90% Non-Condensing

Transmission Power	<20dBm (EIRP)