


MATIČNA PLOČA 1700 ASUS GAMING Z790-PLUS WIFI D4

Naziv: MATIČNA PLOČA 1700 ASUS GAMING Z790-PLUS WIFI D4



Šifra: #BM7611821725553653624

Barkod: 4711081941088

Proizvođač: ASUS

Detalji

Kategorija: MATIČNE PLOČE

Oznake:

Atributi: PROCESORSKO LEŽIŠTE: LGA 1700
CHIPSET: Z790**Cena**Cena sa PDV: 31,990.00 RSD *WEB CENA
35,189.00 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:	Procesorsko ležište (socket)	Intel 1700
	Čipset	Intel Z790
	Grafika	Bez grafike
	Tip memorije	DDR4
	Memorijski slotovi	4x DDR4
	Podržane memorije	2.133MHz (O.C.), 2.400MHz (O.C.), 2.666MHz (O.C.), 2.800MHz (O.C.), 2.933MHz (O.C.), 3.000MHz (O.C.), 3.200MHz (O.C.), 3.333Mhz (O.C.), 3.400Mhz (O.C.), 3.466Mhz (O.C.), 3.600Mhz (O.C.), 3.733Mhz (O.C.), 3.866Mhz (O.C.), 4.000Mhz (O.C.), 4.133Mhz (O.C.), 4.266Mhz (O.C.), 4.400Mhz (O.C.), 4.500Mhz (O.C.), 4.600Mhz (O.C.), 4.700Mhz (O.C.), 4.800Mhz (O.C.), 5.000Mhz (O.C.), 5.066Mhz (O.C.), 5.133Mhz (O.C.), 5.333Mhz (O.C.)

Maksimalna ukupna memorija	192GB
Ostale osobine	Dual Channel, OptiMem II, Podrška za Extreme Memory Profile (XMP), Podrška za non-ECC UDIMM memory, Podrška za Unbuffered ECC memoriju
PCI Express x16 slot	1x PCI Express 4.0, 1x PCI Express 5.0
PCI Express x4 slot	1x PCI Express 4.0
PCI Express x1 slot	2x PCI Express 3.0
Ostali slotovi	4x M.2 slot, 4x SATA 6.0Gb/s ports
SATA priključci (ukupno)	4
SATA priključci	4 x SATA 6Gb/s
Ostali skladišni interfejs	4x M.2
RAID	RAID 0, RAID 1, RAID 10, RAID 5
Napomena	Intel Rapid Storage Technology
Žična mreža (LAN)	1x Intel 2.5Gb Ethernet
Model	Intel
Wi-Fi	Da
Bluetooth	Da
Bluetooth verzija	5.2
Model	Realtek S1220A
Napomena	Audio Cover, Audio Shielding, High Definition
DisplayPort priključci	1x DisplayPort
HDMI priključci	1
Ukupno USB priključaka	8
Ukupno USB-C priključaka	2
USB 3.2 priključci	1 (Tip C) Gen2, 1 (Tip C) Gen2x2, 2 (Tip A) Gen2, 4 (Tip A) Gen1
RJ-45 (LAN)	1
Audio	5x 3.5mm
Ostali priključci	1 x optical S/PDIF

Naponski priključci	1 x 24 pin Main Power connector, 1 x 4-pin ATX 12V power connector, 1x 8 pin 12V Power Connector
USB 3.2	1 (podrška za 2 USB 3.2 Gen 1 porta), 1 (podrška za USB-C port)
USB 2.0	2 (podrška za 4 USB 2.0 porta)
Ostali priključci	1 x 20-3 pin System Panel header with Chassis intrude function, 1 x 4-pin AIO Pump header, 1 x 4-pin CPU Fan header, 1 x 4-pin CPU OPT Fan header, 1 x AURA RGB header, 1 x Clear CMOS header, 1 x COM Port header, 1 x front panel audio header, 1 x Thunderbolt™ (USB4®) header, 3 x Addressable Gen 2 headers, 4 x SATA 6Gb/s, 4x Chassis Fan connector (4-pin), 4x M.2
Napomena	Za iskorišćavanje određenih internih konektora potrebni su dodatni bracket-i ili priključci na kućištu
Podržane tehnologije	DIGI+VRM, ESD Guards, M.2 Q-Latch, Overvoltage Protection, PC Cleaner, PCIe Slot Q-Release, ProCool, Q-DIMM, SafeDIMM, TUF LANGuard, TurboV EVO, UEFI Bios
Format	ATX
Dimenzije	305mm x 244mm
Fiksirajući otvori	9
Pakovanje	1 x ASUS Wi-Fi antena, 2x SATA kabl