

MATIČNA PLOČA AM5 ASUS ROG STRIX X870-E GAMING WIFI

Naziv: MATIČNA PLOČA AM5 ASUS ROG STRIX X870-E GAMING WIFI

Slika:



Šifra: #BM7611801731345759121

Barkod: 4711387724163

Proizvođač: ASUS

Detalji

Kategorija: MATIČNE PLOČE

Oznake: [Proveri dostupnost](#)

Atributi:

Cena

Cena sa PDV: 82,990.00 RSD *WEB CENA
91,289.00 RSD *Cena za odloženo web plaćanje

Ostalo

Opis:

Tip procesora:	AMD
Podnožje:	AMD® AM5
Čipset:	AMD® X870E
Format ploče:	ATX
Podržana memorija:	DDR5
Bluetooth:	Da
Podržani procesori:	AMD Socket AM5 za AMD Ryzen 9000, 8000 i 7000 Series Desktop Procesori
Memorija:	4 x DIMM slota, max. 192GB DDR5 Podržava do: 8000+MT/s(OC) sa Ryzen 9000 Series Procesorima, 8400+MT/s(OC) sa Ryzen 8000 Series Procesorima, 8000+MT/s(OC) sa Ryzen 7000 Series Procesorima,

		ECC i Non-ECC Un-buffered DIMM Dual Channel Memory Architecture Podrška AMD EXTended Profile za Overclocking (EXPO) NitroPath DRAM Technology ASUS Enhanced Memory Profile (AEMP)
	Slotovi za proširenje:	AMD Ryzen 9000 i 7000 Series Desktop Procesori 1 x PCIe 5.0 x16 slot (podrška x16 mod) AMD Ryzen 8000 Series Desktop Procesori 1 x PCIe 4.0 x16 slot (podrška x8/x4 mod) AMD X870E Chipset 1 x PCIe 4.0 x16 slot (podrška x4 mod)
	Skladište:	AMD Ryzen 9000 i 7000 Series Desktop Procesori M.2_1 slot (Key M), type 2242/2260/2280 (podrška PCIe 5.0 x4 mod) M.2_2 slot (Key M), type 2242/2260/2280 (podrška PCIe 5.0 x4 mod) M.2_3 slot (Key M), type 2242/2260/2280/22110 (podrška PCIe 5.0 x4 mod) AMD Ryzen 8000 Series Desktop Procesori M.2_1 slot (Key M), type 2242/2260/2280 (podrška PCIe 4.0 x4 mod) M.2_2 slot (Key M), type 2242/2260/2280 (Nije podržano) M.2_3 slot (Key M), type 2242/2260/2280/22110 (Nije podržano) AMD X870E Chipset M.2_4 slot (Key M), type 2280 (podrška PCIe 4.0 x4 mod) M.2_5 slot (Key M), type 2280 (podrška PCIe 4.0 x4 mod) 4 x SATA 6Gb/s porta
	Mrežna karta:	1 x Realtek 5Gb Ethernet Wi-Fi 7 2x2 Wi-Fi 7 (802.11be) Podrška 2.4/5/6GHz frekvencije Podrška Wi-Fi 7 320MHz bandwidth, do 6.5Gbps Bluetooth v5.4
	Zvučna karta:	ROG SupremeFX 7.1 Surround Sound High Definition Audio CODEC ALC4080
	USB:	2 x USB4 (40Gbps) porta (2 x USB-C) 1 x USB 20Gbps port (1 x USB-C sa 30W PD Fast-charge) 10 x USB 10Gbps portova (9 x USB-A + 1 x USB-C) 1 x USB 20Gbps konektor (podrška

	USB-C) 2 x USB 5Gbps headera podržavaju dodatna 4 USB 5Gbps porta 3 x USB 2.0 headera podržavaju dodatnih 6 USB 2.0 portova
Konektori na zadnjoj strani:	2 x 2 x USB-C USB 4 1 x USB-C 3.2 Gen 2x2 (30W PD Fast-charge) 9 x USB-A 3.2 Gen 2 1 x USB-C 3.2 Gen 2 1 x HDMI 1 x Wi-Fi Modul 1 x Realtek 5Gb Ethernet 2 x Audio porta 1 x Optical S/PDIF ou 1 x BIOS FlashBack dugme 1 x Clear CMOS dugme
Interni konektori:	1 x 4-pin CPU Fan header 1 x 4-pin CPU OPT Fan header 1 x 4-pin AIO Pump header 5 x 4-pin Chassis Fan headera 1 x 24-pin Main Power konektor 2 x 8-pin +12V CPU Power konektora 5 x M.2 slota (Key M) 4 x SATA 6Gb/s porta 1 x USB 20Gbps konektor (podržava USB-C) 2 x USB 5Gbps headera podržavaju dodatna 4 USB 5Gbps porta 3 x USB 2.0 headera podržavaju dodatnih 6 USB 2.0 portova 3 x Addressable Gen 2 headera 1 x CPU Over Voltage jumper 1 x FlexKey dugme 1 x Front Panel Audio header (F_AUDIO) 1 x Start dugme 1 x 10-1 pin System Panel header 1 x Thermal Sensor header
BIOS:	256 Mb Flash ROM, UEFI AMI BIOS
Prava potrošača:	Zakonska saobraznost 2 godine + 1 godina dodatne proizvođačke garancije uz garantnu izjavu proizvođača
EAN:	4711387724163