

LAN ROUTER TP-LINK TL-WR841N WIRELESS

Naziv: LAN ROUTER TP-LINK TL-WR841N WIRELESS

Slika:



Šifra: #BM4366901732377846514

Barkod: 6935364051242

Proizvođač: TP-LINK

Detalji

Kategorija: RUTERI

Oznake:

Atributi: TIP UREĐAJA: WIFI ROUTER
TIP ANTENE: EXTERNA
MESTO PRIMENE: INDOOR
POE: NE
BROJ PORTOVA: 5
4G/SIM SLOT: NE
USB PORT: NE
BRZINA PROTOKA: 300 MBPS - 750 MBPS
MESH: NE
FREKVENTNI OPSEG: 2.4 GHZ
REPEATER MODE: DA**Cena**Cena sa PDV: 4,558.08 RSD *WEB CENA
5,013.89 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:

HARDWARE FEATURES

Interface	4 10/100Mbps LAN PORTS 1 10/100Mbps WAN PORT
Button	Quick Setup Security Button Reset Button
External Power Supply	9VDC / 0.6A
Wireless Standards	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Antenna	2*5dBi Fixed Omni Directional Antenna
Dimensions (W x D x H)	7.6 x 5.1 x 1.3 in.(192 x 130 x 33 mm)

WIRELESS FEATURES

Frequency	2.4-2.4835GHz
Signal Rate	11n: Up to 300Mbps(dynamic) 11g: Up to 54Mbps(dynamic) 11b: Up to 11Mbps(dynamic)
EIRP	<20dBm(EIRP)
Reception Sensitivity	270M: -68dBm@10% PER 130M: -68dBm@10% PER 108M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -85dBm@8% PER 6M: -88dBm@10% PER 1M: -90dBm@8% PER
Wireless Functions	Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics
Wireless	64/128/152-bit WEP / WPA / WPA2,WPA-PSK / WPA2-PSK

SOFTWARE FEATURES

WAN Type	Dynamic IP/Static IP/PPPoE/ PPTP/L2TP/BigPond
DHCP	Server, Client, DHCP Client List, Address Reservation
Quality of Service	WMM, Bandwidth Control
Port Forwarding	Virtual Server,Port Triggering, UPnP, DMZ
Dynamic DNS	DynDns, Comexe, NO-IP
VPN Pass-Through	PPTP, L2TP, IPSec (ESP Head)
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding
Management	Access Control Local Management Remote Management

OTHERS

Certification	CE, FCC, RoHS
Package Contents	Wireless N Router TL-WR841N Power supply unit Resource CD Quick Installation Guide
System Requirements	Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ or Windows 7, MAC® OS, NetWare®, UNIX® or Linux.
	Operating Temperature: 0?40? (32?104) Storage Temperature: -40?70?

Environment

(-40158)

Operating Humidity: 10%90%
non-condensingStorage Humidity: 5%90% non-
condensing